


Screening and classification of pellets

The ANDRITZ gyratory screeners type SGS are designed for classifying and screening pellets from both aqua and animal feed. Inertia generated by the moving screens, combined with elliptical and reciprocating linear motion provide balance, resulting in a smooth operation with reduced noise emission.

Additionally, the SGS series is outfitted with an energy efficient cleaning mechanism that is easy to maintain.



The SGS Series is highly efficient, keeping energy consumption low and maintenance simple.



TECHNICAL SPECIFICATIONS

| Model No | Motor Power | Main shaft | Screen layer | Screen size | Capacity | Support pattern |
|----------|-------------|------------|--------------|-------------|----------|--------------------|
| | kW | rpm | | mm | t/h | |
| SGST100 | 3 | 204 | two layers | 2405×1000 | 10~12 | Epoxy resin plates |
| SGSF100 | 3 | 204 | three layers | 2405×1000 | 10~12 | Epoxy resin plates |
| SGST120 | 4 | 205 | two layers | 2405×1200 | 12~18 | Epoxy resin plates |
| SGSF120 | 4 | 205 | three layers | 2405×1200 | 12~18 | Epoxy resin plates |
| SGST140 | 4 | 205 | two layers | 2405×1400 | 18~25 | Epoxy resin plates |
| SGSF140 | 4 | 205 | three layers | 2405×1400 | 18~25 | Epoxy resin plates |

DIMENSION SIZE (MM)

| Model | Α | В | Н | Inclinded degree of screen |
|-----------------|------|------|------|-------------------------------|
| SGST100/SGSF100 | 4360 | 1790 | 1380 | 4°-6° |
| SGST120/SGSF120 | 4300 | 2050 | 1380 | 4°-6° |
| SGST140/SGSF140 | 4780 | 2180 | 1540 | 4°-6° |



GLOBAL SUPPLIER - LOCAL PRESENCE

With sales, service, engineering, manufacturing and production sites located all around the world, ANDRITZ Feed and Biofuel is truly a global organization with a local presence. ANDRITZ is vital to ensuring a reliable global supply of aqua feed, animal feed, pet food, and biofuel. With full process lines accounting for half the world's production of aqua feed and biomass alone, we continuously support leading producers in achieving the highest levels in safety, quality, and control from feedstock to final product.

How can we help grow your business?

ANDRITZ Feed and Biofuel A/S

Glentevej 5-7 6705 Esbjerg, Denmark p: +45 72 160 300 andritz-fb.dk@andritz.com

ANDRITZ (Shanghai) Equipment & Engineering Co., LTD

No.2288, Rongle East Road, Songjiang, 201613, Shanghai, P.R.China p: +86 21 57745781 andritz-fb.cn@andritz.com

AUSTRALIA

BANGLADESH

p: +61 3 8773 4888 andritz-fb.au@andritz.com

p: +88 (02) 9844800 andritz-fb.bd@andritz.com

BRAZIL

p: +55 47 3387 9146 andritz-fb.br@andritz.com

CANADA

p: +1 519 676 7057 anbosales@andritz.com

CHILE

p: +56 2 24624608 andritz-fb.cl@andritz.com

CHINA

p: +86 21 5774 5781 andritz-fb.cn@andritz.com

COLOMBIA

p: +57 (1) 744 8200 andritz-fb.co@andritz.com

DUBAI

p: +971 4 299 5555 andritz-fb.uae@andritz.com

FRANCE

p: +33 24 75 06 364 andritz-fb.fr@andritz.com

GERMANY

p: +49 2104 9197 0 andritz-fb.de@andritz.com

INDIA

p: +91 87544 15287 andritz-fb.india@andritz.com

ITALY

p: +39 (0445) 575 695 andritz-fb.it@andritz.com

MEXICO

p: +52 443 323 1530 ext 364 andritz-fb.mx@andritz.com

NETHERLANDS

p: +31 40 2627777 andritz-fb.nl@andritz.com

POLAND

p: +48 60 906 1037 andritz-fb.pl@andritz.com

SOUTH AFRICA

p: +27 82 781 0808 andritz-fb.za@andritz.com

TURKEY

p: +90 232 570 38 00 andritz-fb.tr@andritz.com

UK

p: +44 1482 825119 andritz-fb.uk@andritz.com

USA

p: +1 570 546 1253 andritz-fb.us@andritz.com

VIETNAM

p: +84 8 6253 9434 andritz-fb.vi@andritz.com

ANDRITZ.COM/FT





